CORONA STREET LED EVO 2 PRO

GENERAL CARD

TECHNICAL PARAMETERS

Rated power of the luminaire [W]*:	20.00 - 110.00
Luminous flux [lm]*:	2850 - 14750

CHARACTERISTICS

Road LED fitting with integrated energy-saving LED module and high luminous flux - up to 149 lm/W. The body and handle has been made out of die cast aluminum, powder painted in gray (RAL9006). Accessory cover made out of plastic. The fitting uses directional lens matrices made of PMMA. Lampshade is made out of hardened glass. IP66 ingress protection class and IK08 impact-rating features make this fitting extremely tight and shock-resistant (vandal-resistant). Integrated, step-regulated grip allows to set the fitting. Beam angle adjustment: 0 to +15 (peak to pole); -15 to 0 (side to boom).

Standard: DALI and LineSwitch control; ability to program 5-step power reduction; CLO - maintaining luminous flux in time; surge protection SP10kV.

Option: I or II protection class.

APPLICATION

This road fitting is designed to be used in open areas for lighting: highways, expressways, streets, local roads, crossroads and car-parks.

CORONA STREET LED EVO 2 PRO

GENERAL CARD

AVAILABLE VERSIONS

Click index >>, to see details

CORONA STREET LED EVO 2 PRO

GENERAL CARD

LUMINOUS INTENSITY DISTRIB. CURVE



CORONA STREET LED EVO 2 RM3



CORONA STREET LED EVO 2 RM6



CORONA STREET LED EVO 2 RM7



CORONA STREET LED EVO 2 RW5

CORONA STREET LED EVO 2 PRO

GENERAL CARD

ACCESSORIES AVAILABLE

index	Name
UL00141	mounting grip 76mm
	wall holder (galvanized)
	wall holder (grey)

mounting grip 76mm (UL00141)



wall holder (galvanized) (314049)

wall holder (grey) (314056)

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. * Parameter tolerance is +/- 10%

This product is a subject to electric andelectronic waste equipment regulations (WEEE).

Certificate CE - Nr: 171/2019

LENA LIGHTING

Lena Lighting S.A.
ul. Kórnicka 52, 63-000 Środa Wielkopolska
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl