

# FUTURE BALL 20W 230V SZARY BEZ GNIAZD WTYCZKA SCHUCKO Z WYŁ.

DETAILED CARD



## TECHNICAL PARAMETERS

<b>Ingress protection:</b>	IP54
<b>Impact resistance:</b>	IK10
<b>Nominal power [W]:</b>	20
<b>Colour temperature [K]:</b>	4000
<b>Luminous flux [lm]*:</b>	2400
<b>Energy efficiency class:</b>	D
<b>Electrical protection class:</b>	I
<b>Material of the body:</b>	PP

## CHARACTERISTICS

- Light source: highly efficient LED
- Power: 20W
- Total luminous flux: 2400lm
- Ingress protection class: IP 44/54
- Impact resistance class: IK10
- Even (spherical) light distribution
- Opal bowl made of PC
- Foldable hook
- Rubber cable H07RN-F 3x1,5mm (5m)
- Body: PP
- Two sockets in standard (AKKU version is equipped with one socket)
- Protective bags
- Integrated cable reel

Options:

- switch
- magnets

## APPLICATION

# FUTURE BALL 20W 230V SZARY BEZ GNIAZD WTYCZKA SCHUCKO Z WYŁ.

DETAILED CARD

## TECHNICAL PARAMETERS TABLE

<b>Index:</b>	619199	<b>Material of the body:</b>	PP
<b>Category type:</b>	general construction site lighting	<b>Colour of the body:</b>	graphite
<b>Light source:</b>	LED module	<b>Dimensions (H/W/T/S) [mm]:</b>	244/237/237
<b>Nominal power [W]:</b>	20	<b>Impact resistance:</b>	IK10
<b>Luminous flux [lm]:</b>	2400	<b>Ingress protection:</b>	IP54
<b>Supply voltage [V]:</b>	220-240	<b>Plug type:</b>	UNI-SCHUKO
<b>Luminous efficacy [lm/W]:</b>	141	<b>Cable length [m]:</b>	5
<b>Energy efficiency class:</b>	D	<b>Switch:</b>	yes
<b>Electrical protection class:</b>	I	<b>Net weight [kg]:</b>	1.600
<b>Colour temperature [K]:</b>	4000	<b>ETIM class:</b>	EC000346
<b>Diffuser material:</b>	PC	<b>CE certificate:</b>	<a href="#">266/2023</a>
<b>Diffuser type:</b>	milky	<b>Manual:</b>	<a href="#">Download PDF</a>

# FUTURE BALL 20W 230V SZARY BEZ GNIAZD WTYCZKA SCHUCKO Z WYŁ.

DETAILED CARD

## ACCESSORIES AVAILABLE

index	Name
016707	MAGNUM STAND - SMALL

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 266/2023



Lena Lighting S.A.  
ul. Kórnicka 52, 63-000 Środa Wielkopolska  
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl