

# UV-C STERILON MAX PRO

GENERAL CARD



## TECHNICAL PARAMETERS

<b>Nominal power [W]:</b>	360.00
<b>Supply voltage [V]:</b>	220 - 240
<b>Electrical protection class:</b>	I
<b>Material of the body:</b>	Steel
<b>Ingress protection:</b>	IP20
<b>Dimensions (H/W/T/S) [mm]:</b>	1895/650/650;

## CHARACTERISTICS

Flow luminaires emitting ultraviolet (UV-C) light are one of the most effective devices capable of removing viruses, bacteria, mold from the surface or destroying the DNA or RNA of any exposed microorganisms.

- Air-flow disinfection function
- Steel body, powder-coated in white-graphite
- Possibility to reset the operating time counter
- The luminaire is equipped with a LED operating time counter used for indicating the consumption of UV-C fluorescent lamps
- Very quiet operation 37dB\*
- CO2 sensor
- Temperature measurement
- Humidity measurement
- No UV-C on the outside of the device
- The devices meet the safety standard

## APPLICATION

Luminaires are recommended for use in large service-providing facilities (hair and beauty salons), health care facilities, hotels, restaurants, public administration, educational and care facilities.

\* Parameters may vary (+/- 10%)

# UV-C STERILON MAX PRO

GENERAL CARD

## AVAILABLE VERSIONS



Click index >>, to see details

Nominal power [W]	Service life of the UV-C radiation source [h]	Cable length [m]	Total power consumption [W]	Air flow [m <sup>3</sup> / h]	Noise intensity [dB]	Working time counter	HEPA filter holder	Dimensions (H/W/T/S) [mm]	Index
360	9000	4	360	800	31	yes	yes	1895/650/650	<a href="#">&gt;&gt; 250019</a>
360	9000	4	360	1200	37	yes	yes	1895/650/650	<a href="#">&gt;&gt; 250026</a>
360	9000	4	360	1500	37	yes	yes	1895/650/650	<a href="#">&gt;&gt; 250033</a>

# UV-C STERILON MAX PRO

GENERAL CARD

## ACCESSORIES AVAILABLE

index	Name
249778	HEPA filter for UV-C STERILON MAX 800/1200/1500
249785	Carbon filter for UV-STERILON MAX 800/1200/1500
249822	Pre-filter for UV-STERILON MAX 800/1200/1500

Card creation date: 08 November 2023

The company reserves the right to make design changes or upgrades in the presented product. Product data sheet does not constitute an offer. \* Parameter tolerance is +/- 10%



This product is a subject to electric and electronic waste equipment regulations (WEEE).



Certificate CE - Nr: 369/2023



Lena Lighting S.A.  
ul. Kórnicka 52, 63-000 Środa Wielkopolska  
tel. +48 61 28 60 333 (Pn-Pt, 8-16), e-mail: hello@lenalighting.pl, www.lenalighting.pl